

Table 3.2. Stratigraphically arranged occurrences of angiosperm genera with eastern Asian-eastern North American distribution. Fossil records are based on Appendices I and II and disjuncts are according to Wen (1999, table 1).

Cretaceous

*Aralia* (as *Araliaecarpum*, *Araleaephyllum*, *Araliopsis*  
in appendices)

*Lindera*

*Liriodendron*

*Magnolia*

*Menispermum* (as *Menispermities*)

*Nelumbo*

*Nyssa*

*Sassafras*

Paleocene

*Aralia*

*Carya*

*Cornus*

*Hamamelis* (as *Hamamelites*)

*Hydrangea*

*Lindera*

*Liriodendron*

*Magnolia*

*Nelumbo*

*Nyssa*

*Pachysandra*

Eocene (including middle and late Eocene)

*Ampelopsis*

*Carya*

*Cotinus*

*Hamamelis*

*Hydrangea*

*Magnolia*

*Menispermum* (as *Menispermum?*, *Menspermoxyton*)

*Nelumbo*

*Nyssa*

*Pachysandra*

*Parthenocissus*

*Sassafras*

Oligocene

*Ampelopsis*

*Carya*

*Catalpa*

*Cornus*

*Cotinus*

*Lindera*

*Magnolia*  
*Nelumbo*  
*Nyssa*

Miocene

*Carya*  
*Cladrastis*  
*Cornus*  
*Gleditsia*  
*Gordonia*  
*Hamamelis* (as *Hamamelis*?)  
*Hydrangea*  
*Illicium*  
*Lindera*  
*Liriodendron*  
*Lyonia*  
*Magnolia*  
*Nelumbo*  
*Nyssa*  
*Parthenocissus*  
*Sassafras*

Pliocene

*Aralia*  
*Carya*  
*Magnolia*  
*Nyssa*  
*Parthenocissus*